

CIRCUIT BREAKER
1.46A HOLD
2.25A BREAK

1. ALL CAPS IN μ UNLESS OTHERWISE NOTED.
2. ALL RESISTANCES IN OHMS. AT $\frac{1}{2}$ W UNLESS OTHERWISE NOTED.
3. ALL VOLTAGES MEASURED TO $\pm 20\%$ WITH 65 MEG. INPUT VOLTMETER.
* TWO 2 SECTION CAPACITORS
LAST RESISTOR R44
LAST CAPACITOR C33


D1, D2, D3, D4, D5, PH204 OR BY 126

YORKVILLE SOUND LTD.
YGM-3 B 4

REV	BY	DATE
0063	JTC	07/2/73

DESIGNER	TRAYNOR, P. SIMONE
DWG BY	J. T. FARSEY
APP BY	DAVE
DATE	SEPT. 11/73





CIRCUIT BREAKER
1.46A HOLD
2.25A BREAK

1. ALL CAPS IN μ UNLESS OTHERWISE NOTED.
 2. ALL RESISTANCES IN OHMS. AT $\frac{1}{2}$ W. UNLESS OTHERWISE NOTED.
 3. ALL VOLTAGES MEASURED TO $\pm 20\%$ WITH 15 MEG. INPUT VOLTMETER.
 * TWO 2 SECTION CAPACITORS
 LAST RESISTOR R44
 LAST CAPACITOR C33


D1, D2, D3, D4, D5, PH204 OR BY 126

YORKVILLE SOUND LTD.
YGM-3 B 4

REV	BY	DATE
0003	JTC	07/2/73

DESIGNER	TRAYNOR, P. SIMONE
DWG BY	J. J. FARSEY
APP BY	
DATE	SEPT. 11/73





YORKVILLE	DATE: NOV/23/98	MODELS: YGM-3	SCH ISSUE: 1.00
NAME: YGM3.SCH	PCB#:	TITLE: YGM3	

